

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1239/CPR/0828502

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 laying down harmonised conditions for the marketing of construction products, it's certified that the

Construction product: **Building hardware - Locks and latches - Electromechanically operated locks and striking plates**

Scope of Certification: (references) **F30XXXXX Series electric strikes**

References included in each of the certified series are listed in the annex of this certificate

Product classification:

3¹	C	5	F	0	0	0	1²	0
(1)	(2)*	(3)*	(4)*	(5)	(6)	(7)	(8)	(9)

¹ When installed in conjunction with a grade 3 category of use lock

² Strikes with microswitch, otherwise grade will be 0

Provided by:

BSW SECURITY AG
Förllibuckstrasse 66
8005 ZÜRICH

Produced in:

1807101

Is subject to a factory production control and to the inspection of samples in accordance to a prescribed test plan by the manufacturer, and that the Notified Body CERTINALIA, S.L.U. has carried out initial type tests for all relevant characteristics of the product, as well as the initial inspection of the factory and FPC, and the continuous surveillance, assessment and approval of FPC

This certificate shows compliance with all regulations applicable to the conformity assessment in the Annex ZA of the standard

EN 14846:2008

and that the product meets the minimum requirements applicable. Those digits identified with * are referred to the essential characteristics shown in table ZA.1 of the standard and therefore are the only ones covered by ENAC's accreditation.

System of assessment and verification of constancy of performance: **SYSTEM 1**

Issued on:
Last modified on:
Expires on:
Serial no: **082850205-E**

10/03/2022
31/10/2024
29/03/2027

Carlos Nazabal Alsua
Manager



This document allows the manufacturer to fix the CE mark.
This certificate may be modified, temporarily suspended and withdrawn by CERTINALIA.
The validity of this certificate can be checked through consultation in www.certinalia.com

ANNEX

CERTIFICATE OF CONSTANCY OF PERFORMANCE

1239/CPR/0828502

Construction product: Electromechanically operated striking plates

1. Product reference:

1	=	F	Fire				
2	=	3	Standard function				
3	=	0	Fail secure				
4	=	0	Radial (Spring 1 / 2)	2	Radial (Spring 11 / 22)	4	Radial (Spring 111 / 222)
5	=	0	Without monitoring contact	1	With monitoring contact		
6	=	-	Position mark				
7	=	-	Standard	T	TOP	U	TOP double
		S	Supl TOP	V	Supl TOP double		
8	=	K	10-24V AC/DC - 12VDC 100%ED (43Ω)	L	24V AC/DC - 24VDC 100%ED (132Ω)	N	6-12V AC/DC (8Ω)
		Q	10-24V AC/DC - 12VDC 100%ED (38Ω)	R	24 VAC - (58Ω)	S	8-12V AC/DC (17Ω)

* Version including TOP system ("T, U,S,V" in digit 7), box Nº1.

* Version that does not include TOP system ("-in digit 7), box Nº2.

